

ISTITUTO NAZIONALE DI RICERCA METROLOGICA Repository Istituzionale

Spin-Coated vs. Electrodeposited Mn Oxide Films as Water Oxidation Catalysts

This is the author's accepted version of the contribution published as:
Original Spin-Coated vs. Electrodeposited Mn Oxide Films as Water Oxidation Catalysts / HERNANDEZ RIBULLEN, SIMELYS PRIS; OTTONE MELIS, CARMINNA SOPHIA; Varetti, Sara; Fontana, Marco; Pugliese, Diego; Saracco, Guido; Bonelli, Barbara; Armandi, Marco In: MATERIALS ISSN 1996-1944 9:4(2016), p. 296. [10.3390/ma9040296]
Availability: This version is available at: 11696/77299 since:
Publisher: MDPI
Published DOI:10.3390/ma9040296
Terms of use:
This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository
Publisher copyright

(Article begins on next page)

Supplementary Materials: Spin-Coated vs. Electrodeposited Mn Oxide Films as Water Oxidation Catalysts

Simelys Hernández, Carminna Ottone, Sara Varetti, Marco Fontana, Diego Pugliese, Guido Saracco, Barbara Bonelli and Marco Armandi




Figure S1. Cross-section FE-SEM image of a spin-coated film made with a non-ball-milled Mn₂O₃ powder.




Figure S2. FE-SEM cross-section images of the films prepared by spin-coating of MnO_2 (**a**); Mn_2O_3 (**b**) and Mn_3O_4 (**c**) powders; as-made electrodeposited 5-min film (**d**).




Figure S3. UV-Vis transmittance spectra of the electrodeposited films: as-made (continuous line) and calcined at $500 \,^{\circ}$ C (dotted line).



Figure S4. Photographs of the as-made films prepared by electrodeposition at different deposition times.




Figure S5. Nyquist plots of the EIS measurements acquired using the α -Mn₂O₃-based electrodes at 1.6, 1.8 and 2.0 V vs. RHE.